



**Flat Free Tires  
Pneumatic Tires  
Wheelbarrows  
and More...  
Serving All Your  
Small Tire Needs**

**Marathon**  
Industries

**Your One Stop Shop for Tires!**



# About Marathon

As the largest small tire distributor in the United States, Marathon offers an extensive selection of sizes and can help customize tires to fit your needs! Whether you need flat free tires, air-filled tires, cart tires, or wheelbarrow tires, Marathon is there to meet all of your tire requests. Consider us your one stop small tire shop!

Our goal is to provide you the very best products at a great value. With our worldwide sourcing, outstanding customer service, and flexibility to customize our products, you can depend on Marathon Tires to help you meet your customer's specific requests.

How do they compare?			
	FLAT FREE TIRE	AIR FILLED TIRE	SEMI-PNEUMATIC TIRE
Flat Tires	●	●	●
Rebound	●	●	●
Tire Weight	●	●	●
Tire Capacity	●	●	●
Cost	●	●	●
UV Resistance	●	●	●

● = Superior   ● = Same   ● = Inferior

## Choosing a Tire Type

Marathon offers three different types of tires – Flat Free, Air-Filled (Pneumatic), and Semi-Pneumatic.

Our Flat Free Tires are made out of lightweight, microcellular polyurethane foam. This open and closed cell foam gives our tire the necessary durability, bounce, rebound, and foam memory so they perform like an air-filled tire. Polyurethane foam is stronger than rubber so it is much more abrasion resistant. Our solid tire is dense at the outer surface and is strong throughout. Therefore, if the outer surface does become worn, the tire will still perform extremely well. Our foam is similar to rubber on chemical resistance; however, since it is not affected by damaging UV rays or Ozone, it is not prone to cracking and rotting like a rubber tire.

Air-Filled tires are less expensive than flat free polyurethane tires and provide great bounce and cushion, but are susceptible to punctures and flats.

Semi-Pneumatic tires are similar to the cost of pneumatic tires and offer the benefit of no flats! Like pneumatic tires, these tires are made out of rubber, however, due to the durometer of the rubber, they do not flex like a pneumatic tire. They are made with a hollow center cavity which does not need to be filled with air and helps to remove weight from the tires. Though these tires will not go flat, they do not offer the same bounce and rebound as air-filled or polyurethane tires.

# Contents

	Page
<b>About Marathon</b> .....	2
<b>How to Measure a Tire</b> .....	3
<b>Flat Free Tires</b> .....	4-6
> Wheelbarrow .....	4
> Hand Truck .....	5
> Lawnmower .....	6
> Power Equipment .....	6
> Lawn, Garden, and Marina Carts .....	6
> Semi-Pneumatic .....	7
> Universal Fit .....	8
<b>Air Tires</b> .....	8-9
> Universal Fit .....	8
> Wheelbarrow .....	9
> Hand Truck .....	9
> Power Equipment .....	9
<b>Components</b> .....	10
> Casters .....	10
> Tubes .....	10
> Miscellaneous .....	10
<b>Wheelbarrows and Carts</b> .....	11-13
> Contractor Wheelbarrow .....	11
> Residential Wheelbarrow .....	12-13
> Nursery Carts .....	13
<b>Marketing</b> .....	14
> Racks .....	14
> Flyers .....	14
<b>Global Sourcing/Custom Products</b> .....	15

# Quick Guide


## > How to Measure a Tire <



Measure Outside Diameter of Tire

### Measure Hub Length

Measure the distance from the outside of the bearing to the outside of the bearing through the middle of the wheel.



Place tape measure through center of hub.



Measure Bearing Inside Diameter

## > Tire & Wheel <

Though used interchangeably, "tire" and "wheel" are actually referring to different parts of the tire assembly. The word "tire" refers to the rubber or polyurethane portion of the assembly and the word "wheel" refers to just the rim, or in some cases, the whole tire and rim assembly. **Hub** = Center tube that holds bearings **Bearings** = Are the removable parts that are placed in the hub to hold the axle.

## > Tire Sizing System <

Tires are measured and labeled differently. Here is how the sizing system works and what each measurement is referring to.

13 x 5.00 - 6"  
 13" - Refers to the tire diameter  
 5" - Refers to the width of the tire  
 6" - Refers to the diameter of the rim

4.80/4.00-8"  
 4.80" - Refers to the tire width  
 4.00" - Distance from the outside edge of the tire to the rim  
 8" - Rim Diameter

*\*Please note that sizes in the tire industry are not exact. A 4.80/4.00-8" tire may actually be closer to a "3.96/3.55-8", though it will still be considered a 4.80/4.00-8" tire.*

# Flat Free Polyurethane Tires

>>>for **WHEELBARROWS**

Marathon's lightweight, microcellular polyurethane foam performs just like an air-filled tire! Our open and closed cell foam gives our tires the necessary durability, bounce, cushion, and foam memory to perform like an air-filled tire without the flats.

### What happens when you wear through the tire's skin?

Polyurethane foam is more abrasion resistant than rubber so it is much more difficult to wear through the surface. Our solid tires are most dense at the outer surface and are strong throughout. Therefore, if the outer surface does become worn, the tire will still perform extremely well.

### Will the tire be affected by chemicals or weather?

Our foam is similar to rubber on chemical resistance; however, it will not be affected by damaging UV rays or Ozone that cause cracking and rotting.

**4.80/4.00-8"**: This tire is perfect for the contractor or anyone who needs a high load capacity. It is the most common wheelbarrow tire size.

**3.50/2.50-8"**: This is the tire for the residential user with a lower price point. This tire is also referred to as a 4.00-6" .

**Universal\***: With the included spacer and bearing kit, this tire replaces both above and acts as 27 tires in one! (See page 8 for more information)



>Ribbed<



>Smooth<



>Knobby<

## Flat Free Wheelbarrow / Cart Tires\*\*

Size	Tread	Hub	Bearing	Diameter	Weight	Capacity	Item #
4.80 / 4.00 - 8"	Ribbed	6"	5/8"	15.5"	8 lbs.	500 lbs.	00001
4.80 / 4.00 - 8"	Ribbed	4"	3/4"	15.5"	8 lbs.	500 lbs.	00061
4.80 / 4.00 - 8"	Ribbed	4"	1" Bushing	15.5"	8 lbs.	500 lbs.	00062
4.80 / 4.00 - 8"	Ribbed	3"	5/8"	15.5"	8 lbs.	500 lbs.	00065
4.80 / 4.00 - 8"	Ribbed	3"	3/4"	15.5"	8 lbs.	500 lbs.	00063
4.80 / 4.00 - 8" Dense	Ribbed	3"	1" Bushing	15.5"	9.5 lbs.	700 lbs.	00067H
4.80 / 4.00 - 8"	Smooth	6"	5/8"	15.5"	8 lbs.	500 lbs.	00006
4.80 / 4.00 - 8"	Smooth	6"	1" Bushing	15.5"	8 lbs.	500 lbs.	00030
4.80 / 4.00 - 8"	Smooth	6"	1" Roller Bearing	15.5"	8 lbs.	500 lbs.	00033
4.80 / 4.00 - 8"	Smooth	3"	1" Bushing	15.5"	8 lbs.	500 lbs.	00068
4.80 / 4.00 - 8"	Knobby	6"	5/8"	15.5"	8 lbs.	500 lbs.	00047
4.00 - 6"	Ribbed	6"	5/8"	13"	6 lbs.	300 lbs.	00003
3.50 / 2.50 - 8"	Ribbed	6"	5/8"	13"	6 lbs.	300 lbs.	00003
3.50 / 2.50 - 8"	Ribbed	4"	5/8"	13"	6 lbs.	300 lbs.	00044
3.50 / 2.50 - 8"	Ribbed	3"	5/8"	13"	6 lbs.	300 lbs.	00081
3.50 / 2.50 - 8"	Ribbed	3"	3/4"	13"	6 lbs.	300 lbs.	00083
Universal Fit	Ribbed	3"*	5/8"*	14.5"	7.5 lbs.	300 lbs.	00265

Note: All hubs are centered.

\* Universal Tire Kit includes spacers for many hub configurations and 3/4" bushings.

\*\* Most popular sizes (other sizes available upon request)...we can build almost any so just ask!

# Flat Free Polyurethane Tires

>>>for **HAND TRUCKS** and **CASTERS**

## 4.10/3.50-4" (10" tire) :

This tire is the perfect hand truck tire when mounted on an offset hub - it's lightweight, non-marking and flat free! Performs just like an air-filled tire.

The 10" tire is also great in both swivel and rigid casters when mounted on a centered hub - ideal for ALL carts and equipment where downtime is unacceptable.

## 4.10/3.50-6" (12" tire) :

This is a larger hand truck tire with a higher capacity.

## 2.80/2.50-4" (8" tire) :

The #1 swivel and rigid caster tire! This 8" tire is available in two widths to fit ALL casters.

Also, a great tire for hand trucks and other carts.



>Sawtooth<



>Jag<



>Centipede<

## Flat Free Hand Truck / Caster Tires\*\*

Size	Tread	Hub	Bearing	Diameter	Weight	Capacity	Item #
4.10 / 3.50 - 4"	Sawtooth	4"	5/8"	10.5"	4 lbs.	300 lbs.	00014
4.10 / 3.50 - 4"	Sawtooth	3"	5/8"	10.5"	4 lbs.	300 lbs.	00020
4.10 / 3.50 - 4"	Sawtooth	2.25"OC 3/4"		10.5"	4 lbs.	300 lbs.	00011
4.10 / 3.50 - 4"	Sawtooth	2.25"OC 5/8"		10.5"	4 lbs.	300 lbs.	00010
4.10 / 3.50 - 4" Universal Fit	Sawtooth	2.25"OC 5/8"		10.5"	4.5 lbs.	300 lbs.	00210
4.10 / 3.50 - 6"	Sawtooth	3"	3/4"	12.5"	6.5 lbs.	500 lbs.	00126
4.10 / 3.50 - 6"	Sawtooth	2.25"	5/8"	12.5"	6.5 lbs.	500 lbs.	00120
2.80 / 2.50 - 4"	Jag	4"	5/8"	8.5"	3 lbs.	275 lbs.	00093
2.80 / 2.50 - 4"	Jag	3"	3/4"	8.5"	3 lbs.	275 lbs.	00090
2.80 / 2.50 - 4"	Jag	3"	1/2"	8.5"	3 lbs.	275 lbs.	00026
2.80 / 2.50 - 4"	Jag	2.25"OC 5/8"		8.5"	3 lbs.	275 lbs.	00025
2.80 / 2.50 - 4" (Narrow-Width:2.4")	Centipede	3"	1/2"	8.5"	3 lbs.	250 lbs.	00026N*

Note: All Hubs are centered unless otherwise noted. OC = off-centered hub

\* 2.80/2.50-4" Narrow offers a 1.75" bead width. All other 2.80/2.50-4" tires have a 2.25" bead width.

\*\* Most popular sizes (other sizes available upon request)...we can build almost any so just ask!

# Flat Free Polyurethane Tires

>>>for **POWER EQUIPMENT, LAWN, GARDEN and MARINA CARTS**

Using the same microcellular technology, our solid polyurethane tires are ideal for power equipment, marina carts, and lawn and garden carts.

These tires feature the same durable and non-marking benefits of our other flat free tires, yet provide the bounce and feel of air-filled tires.

## Power Equipment Tires<sup>★</sup>

Size	Tread	Hub	Bearing	Diameter	Weight	Capacity	Item #
4.10 / 3.50 - 6"	Smooth	3"	1" Bushing	12"	6.5 lbs.	500 lbs.	00127
9 x 3.50 - 4"	Smooth	3"	5/8" Precision Bearing	9"	4 lbs.	300 lbs.	01007
9 x 3.50 - 4"	Smooth	4"	3/4" Precision Bearing	9"	4 lbs.	300 lbs.	01014
11 x 4.00 - 5" Low Profile	Smooth	5"	3/4" Precision Bearing	11"	5.5 lbs.	350 lbs.	01410P
11 x 4.00 - 5"	Smooth	Available for custom order					
11 x 4.00 - 5" Tire Only	Smooth			11	4.5 lbs.	350 lbs	30140
13 x 5.00 - 6"	Turf	2.25"	5/8" Precision Bearing	13"	8.5 lbs.	400 lbs.	30335
13 x 5.00 - 6"	Turf	3"	3/4" Precision Bearing	13"	8.5 lbs.	400 lbs.	30326
13 x 6.50 - 6"	Turf	3"	3/4" Precision Bearing	13"	12 lbs.	400 lbs.	30226
13 x 5.00 - 6"	Smooth	Available for custom order					
13 x 5.00 - 6" Tire Only	Smooth			13	6.5 lbs.	400 lbs	30340
13 x 6.50 - 6"	Smooth	Available for custom order					
13 x 6.50 - 6" Tire Only	Smooth			13	9.5 lbs.	400 lbs	30260
15 x 6.50 - 6"	Turf	3"	3/4" Precision Bearing	15"	12.5 lbs.	500 lbs.	30426
16 x 6.50 - 8"	Turf	Available for custom order					
18 x 8.50 - 8"	Ribbed	3.25"	1" Roller Bearing	17.5"	28 lbs.	500 lbs.	01100
18 x 8.50 - 8"	Ribbed	4" Lug	N/A	17.5"	25.5 lbs.	500 lbs.	01103



>Smooth<



>Ribbed<



>Turf<

Note: All Hubs are centered unless otherwise noted.

\*\* Contact us for other sizes.

## Flat Free Lawn, Garden and Marina Cart Tires

Size	Tread	Bead Width (mm)	Bearing	Weight	Item#
20 x 2.0	Ribbed	23-25		2.5 lbs.	92002
20 x 2.0 (on black plastic rim)	Ribbed	2 7/16" Hub Length	3/4" Bearing*	4.5 lbs.	92001
24 x 2.0	Ribbed	26-28		5.5 lbs.	93002
24 x 2.0 (on black plastic rim)	Ribbed	2.25" Hub Length	3/4" Bearing	8 lbs.	93001

\* 3/4 bearings installed. Additional 5/8" bearings included on the side.



# Semi-Pneumatics

Semi-Pneumatic tires are made out of rubber, but unlike our flat free tires, semi-pneumatic tires have a hollow center. They do not require tubes or need to be filled with air. They are lightweight, low-cost, and puncture-proof.

## Semi-Pneumatic Tires

Size	Tread	Hub	Bearing	Diameter	Weight	Capacity	Item #
6 x 1.50	Diamond	1.375" OC	1/2"	6"	1.5 lbs.	40 lbs.	00461
6 x 2.00	Ribbed	2.25"	5/8"*	6"	1.5 lbs.	75 lbs.	00471
7 x 1.50	Diamond	1.375" OC	1/2"	7"	2 lbs.	60 lbs.	00451
7 x 1.50 (Plastic Rim)	Ribbed	1.375" OC	1/2"	7"	1.5 lbs.	50 lbs.	00455
8 x 1.75 (Plastic Rim)	Gear	1.375" OC	1/2"	8"	2 lbs.	75 lbs.	00441
8 x 1.75 (Plastic Rim)	Diamond	1.375" OC	1/2"	8"	2 lbs.	75 lbs.	00433
8 x 1.75	Ribbed	1.625" OC	5/8"*	8"	2.5 lbs.	225 lbs.	00432
8 x 1.75	Ribbed	1.375"	1/2"	8"	2.5 lbs.	225 lbs.	00431
10 x 1.75	Ribbed	1.5313"	1/2"	10"	3 lbs.	150 lbs.	00401
10 x 2.75	Ribbed	2.3125"	5/8"*	10"	5 lbs.	300 lbs.	00411
12 x 1.75	Ribbed	1.50"	1/2"	12"	4.5 lbs.	300 lbs.	00421
14 x 1.75	Ribbed	2"	5/8"*	14"	6.5 lbs.	175 lbs.	00482
16 x 4.00	Ribbed	6"	5/8"*	16"	15.5 lbs.	400 lbs.	00491
16 x 1.75	Ribbed	2.75"	5/8"*	16"	8 lbs.	225 lbs.	00495

**Note: All Hubs are centered unless otherwise noted. OC = off-centered hub**  
**\*Other bearing sizes available upon request.**  
**Please note that this will change the part number.**



>Ribbed<



>Gear<



>Diamond<

# Universal Fit Tire

>>>FLAT FREE POLYURETHANE or AIR FILLED

Visually Appealing>>>Space Saving>>>Improved Product Flexibility

With a 3" wheelbarrow hub, or a 2.25" off-set hand truck hub and a 5/8" standard bushing, as well as an included parts kit containing various spacers and bushings, this easy to assemble tire eliminates the need to know your tires measurements before you buy. The space saving box design also allows you to neatly stack and display the tires in any location.



Attractive and stackable packaging

Parts kit included



Items in kit may vary.



## Universal Fit Tires

Size	Tire Type	Tread	Hub	Bearing	Diameter	Weight	Capacity	Item#
Universal Fit Wheelbarrow Tire	Flat Free	Ribbed	3"	5/8"	14.5"	7.5 lbs.	300 lbs.	00265
Universal Fit Wheelbarrow Tire	Air-Filled	Ribbed	3"	5/8"	14.5"	6 lbs.	300 lbs.	20265
Universal Fit Hand Truck Tire	Flat Free	Sawtooth	2.25"OC*	5/8"***	10.5"	4.5 lbs.	300 lbs.	00210
Universal Fit Hand Truck Tire	Air-Filled	Sawtooth	2.25"OC*	5/8"***	10.5"	4.5 lbs.	300 lbs.	20210

• Universal Fit Wheelbarrow Kit Includes: 2 – 5/8" Nylon Axle Spacers (1/2" Wide), 2 – 5/8" Nylon Axle Spacers (1" Wide), 2 – 3/4" Nylon Axle Spacers (1/2" Wide), 2 – 3/4" Nylon Bushings

• Universal Fit Hand Truck Tire Includes: 3 – 3/4" Nylon Axle Spacers (1/2" Wide), 1 – 3/4" Nylon Axle Spacer (1/4" Wide), 1 – 5/8" Nylon Axle Spacer (1" Wide), 1 – 5/8" Nylon Axle Spacer (3/4" Wide), 2 – 3/4" Nylon Bushings

# Air-Filled Tires

## >>> FULL LINE of PNEUMATIC WHEEL ASSEMBLIES

Yes, we are the flat free experts! However, there are some customers who still request pneumatic tires, so we have added pneumatic tires to our product line. We developed a value-driven line of quality air tires mounted onto heavy duty steel rims to meet your needs!

### Air-Filled Tires

Size	Tread	Hub	Bearing	Diameter	Weight	Capacity	Item #
4.80 / 4.00 - 8"	Ribbed	6"	5/8"	15.5"	6.5 lbs.	400 lbs.	20001
4.80 / 4.00 - 8"	Ribbed	3"	5/8"	15.5"	6 lbs.	400 lbs.	20065
4.80 / 4.00 - 8"	Ribbed	3"	3/4"	15.5"	6 lbs.	400 lbs.	20063
4.80 / 4.00 - 8"	Smooth	6"	5/8"	15.5"	6.5 lbs.	400 lbs.	20006
4.80 / 4.00 - 8"	Smooth	6"	1" Roller Bearing	15.5"	6.5 lbs.	400 lbs.	20033
4.80 / 4.00 - 8"	Smooth	3"	5/8"	15.5"	6 lbs.	400 lbs.	20069
4.80 / 4.00 - 8"	Smooth	3"	3/4"	15.5"	6 lbs.	400 lbs.	20070
4.80 / 4.00 - 8"	Smooth	3"	1" Bushing	15.5"	6 lbs.	400 lbs.	20068
4.80 / 4.00 - 8"	Knobby	6"	5/8"	15.5"	6.5 lbs.	400 lbs.	20047
4.00 - 6"	Ribbed	3"	5/8"	13"	4.5 lbs.	350 lbs.	20182
4.00 - 6"	Ribbed	3"	3/4"	13"	4.5 lbs.	350 lbs.	20183
4.00 - 6"	Ribbed	4"	5/8"	13"	4.5 lbs.	350 lbs.	20184
4.10 / 3.50 - 6"	Available for custom order in crate quantities.						
2.80 / 2.50 - 8"	Jag	3"	1/2"	8.5"	3 lbs.	250 lbs.	20026
4.10 / 3.50 - 4"	Sawtooth	2.25"OC	1/2"	10.5"	3.5 lbs.	300 lbs.	20013
4.10 / 3.50 - 4"	Sawtooth	2.25"OC	5/8"	10.5"	3.5 lbs.	300 lbs.	20010
4.10 / 3.50 - 4" Universal Fit	Sawtooth	2.25"OC	5/8"*	10.5"	4.5 lbs.	300 lbs.	20210
11 x 4.00 - 5"	Smooth	Available for custom order					
13 x 5.00 - 6"	Smooth	Available for custom order					
13 x 5.00 - 6"	Turf	3"	3/4"	13"	7 lbs.	350 lbs.	20336
13 x 6.50 - 6"	Smooth	Available for custom order					
13 x 6.50 - 6"	Turf	3"	3/4"	13"	8.5 lbs.	350 lbs.	20326
15 x 6.50 - 6"	Turf	3"	3/4"	13"	10 lbs.	400 lbs.	20346
16 x 6.50 - 8"	Available for custom order in crate quantities.						
18 x 8.50 - 8"	Ribbed	3.25"	1" Roller Bearing	18"	16.5 lbs.	500 lbs.	20100
Universal Fit	Ribbed	3"	5/8"*	14.5"	6 lbs.	300 lbs.	20265

\* Universal Tire Kit includes spacers for many hub configurations and extra bushings.

These are our most popular sizes. Other sizes available upon request.

Note: All Hubs are centered unless otherwise noted. OC = off-centered hub



>Ribbed<



>Knobby<



>Smooth<



>Sawtooth<




>Jag<

# Casters and Other Components

## Casters

Size	Type	Capacity	A	B	C	D	Weight	Item #
10"	Swivel Flat Free	300 lbs.	10"	12"	4"	4.5"	8 lbs.	00302
10"	Rigid Flat Free	300 lbs.	10"	12"	4"	4.5"	7.5 lbs.	00301
8"	Swivel Flat Free	275 lbs.	8"	10"	4"	4.5"	6.5 lbs.	00316
8"	Rigid Flat Free	275 lbs.	8"	10"	4"	4.5"	6 lbs.	00315
10"	Swivel Pneumatic	300 lbs.	10"	12"	4"	4.5"	8 lbs.	00304
10"	Rigid Pneumatic	300 lbs.	10"	12"	4"	4.5"	7 lbs.	00303
8"	Swivel Pneumatic	250 lbs.	8"	10"	4"	4.5"	6.5 lbs.	00314
8"	Rigid Pneumatic	250 lbs.	8"	10"	4"	4.5"	5.5 lbs.	00313

**A = Overall Tire Height**  
**B = Overall Caster + Wheel Height**  
**C = Caster Width**  
**D = Caster Length**



## Other Components

Description	Item #
4.80 / 4.00 - 8" Pneumatic Tire	20002
4.80 / 4.00 - 8" Tube	20992
4.00 - 6" Pneumatic Tire	20042
4.00 - 6" Tube	20993
3.25 - 8" Tube	20994
4.10 / 3.50 - 4" Pneumatic Tire	20500
4.10 / 3.50 - 4" Tube	20990
2.80 / 2.50 - 4" Pneumatic Tire	20600
2.80 / 2.50 - 4" Tube	20991
5/8" Ball Bearing (2 pack)	60001-2pk
5/8" Precision Ball Bearing	60002
3/4" Ball Bearing (2 pack)	60010-2pk
3/4" Precision Ball Bearing	60011
1/2" Ball Bearing (2 pack)	60020-2pk
1/2" Precision Ball Bearing	60021
1" Retainer	60030
1" Bushing	60031
1" x 1" Roller Bearing	60032
1" x 2.25" Roller Bearing	60033



# Equipment

## >>>the ULTIMATE WHEELBARROW

### The Ultimate Wheelbarrow :

The Marathon Ultimate Wheelbarrow is built for the contractor. This heavy duty 6 cubic foot professional grade wheelbarrow comes standard with a steel tray, steel handles, steel frame and a flat free tire to eliminate downtime! This unit is great for retail stores and rental fleets.

### Features :

- > **Marathon's flat free tire (4.80/4.00-8")**
- > **6 cubic feet**
- > **Tough 1.4 mm (16 gauge) thick steel tray - thickest on the market**



- > **Heavy duty square steel handles for maximum strength**
- > **Ergonomic grips**
- > **Sturdy legs with stabilizing feet**
- > **Fortified undercarriage**
- > **Durable powder-coat finish**

### Features a Flat Free Tire



### Equipment (Top Sellers)

Description	Size	Tray	Weight	Tire Type	Tread	Item #
The Ultimate Wheelbarrow	6 Cubic Feet	Steel	57 lbs.	Flat Free	Ribbed	70002
Ultimate Wheelbarrow Flat Free Dual Wheel Upgrade Kit			11.5 lbs.	Flat Free	Ribbed	70022
Two-Tire Pneumatic Conversion Kit			14.5 lbs.	Pneumatic	Ribbed	20285

### Two-Tire Conversion Kit

Convert your single tire wheelbarrow into a stable dual-tire wheelbarrow that is easier to lift and maneuver. Designed to fit 99% of wheelbarrows.

- > **Tires offer up to a 600-lb. capacity that may be limited by wheelbarrow capacity.**
- > **Kit includes 2 universal fit 4-ply ribbed pneumatic tires on 8" steel rims, 5/8" steel axle, spacers, washers, cotter pins and attachment brackets to convert your single-wheel wheelbarrow into a dual-wheel wheelbarrow!**



# Equipment

## >>>YARD ROVER WHEELBARROW

### Yard Rover Dual Wheelbarrow :

This dual-wheel wheelbarrow is best suited for the residential user. It has two wheels, making it balanced for easy lifting.

- > **Lightweight**
- > **5 cubic foot poly tray will not rust**
- > **Loop handle makes pulling, pushing, lifting, and dumping effortless**
- > **Comes with two tires that offer balance and easy lifting (available in air filled or flat free)**



- > **Boxed in easy-to-shelve packaging**
- > **Everything comes in one box!**
- > **Easy to assemble for store display**
- > **Photo of wheelbarrow on every box**
- > **Available in Green, Pink, or Ladybug!**



## Yard Rovers

Description	Size	Weight	Tire Type	Item #
Yard Rover Wheelbarrow	5 Cubic Feet	29 lbs.	Pneumatic	70015
Yard Rover Wheelbarrow	5 Cubic Feet	33 lbs.	Flat Free	70016
Lady Bug Barrow	5 Cubic Feet	29 lbs.	Pneumatic	70011
Lady Bug Barrow	5 Cubic Feet	33 lbs.	Flat Free	70012
Pink Barrow	5 Cubic Feet	29 lbs.	Pneumatic	70013
Pink Barrow	5 Cubic Feet	33 lbs.	Flat Free	70014



# Marketing Support

## >>> DISPLAY RACKS, FLYERS and PROMO VIDEOS

Marathon will work hard for you to help sell our products to your customers. We can only succeed if you do, so we make your success our number one priority! **Our free marketing materials are always available to you to help with your sales.**

**FREE!**



> 8 tire set up <



> 4 tire set up <



> 6 tire set up <

### Single Tire Display >>>



### Plugs >>>

- > Easy to display
- > Great visual
- > Allows customer to touch product
- > Demonstration



### Display Racks :

- > Small and sturdy
- > Distinguishing
- > Easy configuration
- > Various sizes for space available

### Also Available :

- > Promotional videos and DVD's
- > "No Flats" Signs
- > Darts
- > Special Requests

Note: Merchandise not included with display rack.

# Global Sourcing / Custom Products

>>>Developing, Sourcing, Logistics, Importing and More

Marathon Global Sourcing is dedicated to helping our customers with importing quality products from China. With full-time employees in China, and partnerships with multiple manufacturers, Marathon can help you design, manufacture, package, and import your goods. We can even help you distribute throughout the United States.

## Some of the items Marathon Global Sourcing is currently importing include:

- > Private Label Polyurethane Tires
- > Custom Pneumatic Tires
- > Lawn and Garden Equipment including Wheelbarrows and Garden Carts (Private Label Available)
- > Generator Wheel and Handle Conversion Kits (Packaged for Redistribution)
- > Display Materials
- > Injection Molded Parts
- > And More ....

### Private Label Wheelbarrow



**Your item here!**

Contact Marathon to source  
your custom items.

[sales@marathonind.com](mailto:sales@marathonind.com)

877.425.1640 (Toll Free)

Whether it is engineering, product development, sourcing, logistics, or importing, give us a call at 877.425.1640 (toll free) and we will help you meet your global sourcing needs!



**Whatever you need,  
just give us a call -  
we would love to help!**

**877.425.1640**

**[www.marathontires.com](http://www.marathontires.com)**

2008

**Marathon**  
Industries

7925 South 196th Street  
Kent, Washington 98032

877.425.1640 (Toll Free)

253.893.7014

253.893.7021 (Fax)

[www.marathontires.com](http://www.marathontires.com)

[sales@marathonind.com](mailto:sales@marathonind.com)

